

910-3019 **Solution 19** - VitaBright-43™

100 μl

Contents Solution 19 - VitaBright-43™ (100 μl).

The solution contains VitaBright-43™ (VB-43™; 1 mM, ~ 274μg/ml ~ 0.027%) in

dimethyl sulfoxide (DMSO).

The EINECS no. for DMSO is 200-664-3.

Application Solution 19 - VitaBright-43™ enables detection of changes in the level of reduced

thiols, including GSH in apoptotic cells or cells undergoing other pathological processes. As the level of reduced thiols is an indicator of the overall cellular health status, this

assay provides a very easy and fast way to evaluate cell vitality.

Principle VB-43™ is a non-fluorescent compound, which forms a strongly fluorescent product

once inside a viable cell. VB-43™ stains cells in an intensity-dependent manner reflective of their redox state. A high fluorescence intensity indicates that the cell has a high level of reduced thiols. VB-43™ is a marker for detection of early- to mid-stage

apoptosis in mammalian cells.

Use Thaw and mix before use!

The solution is for research use only (RUO) and is not for diagnostic or therapeutic uses.

Storage Store at < 5°C.

Protect the solution against moisture and light.

Stability Unopened microtubes can be stored until the expiry date indicated on the on the

microtube. The solution is produced 15 months prior to the expiry date.

We recommend using the solution no later than the expiry date or one (1) month after

opening the microtubes, whichever comes first.

Safety DMSO is an irritant organic compound with long term effects.

information DMSO's hazard classification is: Xi.

Risk-phrases:

R36/37/38 (Irritating to eyes, respiratory system, and skin).

Safety-phrases:

S26 (In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice).

S37 (Wear suitable gloves).

Please also refer to the safety data sheet (SDS) regarding safety information.

Disposal After use, dispose of the microtube following national or local laws and regulations,

according to the nature of its contents.